VILLAGE OF FONTANA ON GENEVA LAKE WALWORTH COUNTY, WISCONSIN

<u>LAKEFRONT & HARBOR COMMITTEE MEETING</u> Wednesday, August 26, 2009 @ 4:30 PM

PLEASE TAKE NOTICE that a Lakefront & Harbor Committee Meeting will be held on Wednesday, August 26, 2009, beginning at 4:30 pm, at the Fontana Village Hall, 175 Valley View Drive, Fontana, Wisconsin, 53125. Phone # 262-275-6136

AGENDA

<u>Call to Order</u> <u>Roll Call</u> Visitors Heard

THE FOLLOWING AGENDA ITEMS MAY BE CONSIDERED FOR DISCUSSION, CONSIDERATION OR ACTION

General Business

- 1. Approval of Minutes for Meeting Held July 29, 2009
- 2. Bruce Adreani Pier Situation
- 3. Complaint Received Regarding Club Unique Swim Raft Moored in Adreani Riparian Area
- 4. Brian Porter/Randy McNally Pier Configuration Change
- 5. Abbey Harbor Gas Tank Relocation Proposal
- 6. Lighting Violations on Fontana Bay
- 7. Pier Addition Application Filed With DNR by Austin Pier Service for Willow Bend Marine, Inc. (Jerry's Marine) Pier Tabled 7/29/09
- 8. Willow Bend Marine Barge Situation
- 9. DMA Reviews Village of Fontana, Indian Hills, Brookwood
- 10. Summer Status Report
- 11. Set Next Meeting Date

<u>Adjournment</u>

<u>Dated this 25th day of August, 2009</u>.

Posted: Village Hall, Fontana Library, Post Office, Website Dennis L. Martin, Village Clerk

villageclerk@villageoffontana.com

Note: It is possible that members of and possibly a quorum of members of other governmental bodies of the municipality may be in attendance at the above stated meeting to gather information; no action will be taken by any governmental body at the above-stated meeting other than the governmental body specifically referred to above in this notice and agenda. Please note that, upon reasonable notice, efforts will be made to accommodate the needs of disabled individuals through appropriate aids and services. For additional information or to request this service, contact the Village Hall Office between 8:00 a.m. - 4:00 p.m. or call 262-275-6136 or write PO Box 200, Fontana, Wisconsin 53125.